

	Type	L #	Hit s	Search Text	DBs
1	BRS	L1	1	6000924.pn.	USPAT
2	BRS	L2	522	425/127.ccl s.	USPAT
3	BRS	L3	208	425/121.ccl s.	USPAT; US-PGPUB
4	BRS	L6	590	425/117.ccl s.	USPAT; US-PGPUB
5	BRS	L9	4	L2 and leadframe	USPAT; US-PGPUB
6	BRS	L1 5	8	L6 and leadframe	USPAT; US-PGPUB
7	BRS	L1 2	9	L3 and leadframe	USPAT; US-PGPUB
8	BRS	L1 8	720	264/272.17. ccls.	USPAT; US-PGPUB
9	BRS	L2 1	179	264/272.14. ccls.	USPAT; US-PGPUB
10	BRS	L2 7	9	L21 and leadframe	USPAT; US-PGPUB
11	BRS	L2 4	87	L18 and leadframe	USPAT; US-PGPUB
12	BRS	L3 0	381	438/112.ccl s.	USPAT; US-PGPUB
13	BRS	L3 6	144	438/65.ccls .	USPAT; US-PGPUB
14	BRS	L3 9	159	438/66.ccls .	USPAT; US-PGPUB
15	BRS	L4 2	833	438/127.ccl s.	USPAT; US-PGPUB
16	BRS	L4 8	1	L39 and leadframe	USPAT; US-PGPUB
17	BRS	L5 1	73	L42 and leadframe	USPAT; US-PGPUB
18	BRS	L3 3	46	L30 and leadframe	USPAT; US-PGPUB
19	BRS	L4 5	2	L36 and leadframe	USPAT; US-PGPUB
20	BRS	L5 4	48	L51 and mold	USPAT; US-PGPUB

	Type	L #	Hit s	Search Text	DBs
21	BRS	L5 7	176	257/100.ccl s.	USPAT
22	BRS	L5 8	16	L57 and leadframe	USPAT; US-PGPUB
23	BRS	L6 1	382	257/433.ccl s.	EPO; JPO; IBM_TDB
24	BRS	L6 5	146	257/81.ccls .	EPO; JPO; IBM_TDB
25	BRS	L6 9	173	257/100.ccl s.	EPO; JPO; IBM_TDB
26	BRS	L7 3	0	438/65.ccls .	EPO; JPO; IBM_TDB
27	BRS	L7 7	0	438/112.ccl s.	EPO; JPO; IBM_TDB
28	BRS	L8 1	0	438/123.ccl s.	EPO; JPO; IBM_TDB
29	BRS	L8 5	0	438/127.ccl s.	EPO; JPO; IBM_TDB

	Type	L #	Hit s	Search Text	DBs
14	BRS	L2 4	1	"4540533".P N.	USPAT
15	BRS	L2 5	1	"3739438".P N.	USPAT
16	BRS	L2 6	1	"3417193".P N.	USPAT
17	BRS	L2 8	258	438/64.ccls .	USPAT; US-PGPUB
18	BRS	L3 1	159	438/66.ccls .	USPAT; US-PGPUB
19	BRS	L3 4	234	438/67.ccls .	USPAT; US-PGPUB
20	BRS	L3 7	275	438/73.ccls .	USPAT; US-PGPUB
21	BRS	L4 0	192	438/80.ccls .	USPAT; US-PGPUB
22	BRS	L4 3	381	438/112.ccl s.	USPAT; US-PGPUB
23	BRS	L4 6	506	438/113.ccl s.	USPAT; US-PGPUB
24	BRS	L4 9	833	438/127.ccl s.	USPAT; US-PGPUB
25	BRS	L5 5	0	L31 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
26	BRS	L5 8	0	L34 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
27	BRS	L6 1	0	L37 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB

	Type	L #	Hit s	Search Text	DBs
28	BRS	L6 4	0	L40 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
29	BRS	L5 2	5	L28 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
30	BRS	L7 0	9	L46 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
31	BRS	L6 7	25	L43 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
32	BRS	L7 6	23	CCD and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB
33	BRS	L7 3	51	L49 and leadframe and (resin or encapsulant) and wire	USPAT; US-PGPUB

	Type	L #	Hit s	Search Text	DBs
1	BRS	L4	285	257/80.ccls .	USPAT; US-PPGPUB
2	BRS	L7	306	257/81.ccls .	USPAT; US-PPGPUB
3	BRS	L1 3	4	L4 and leadframe and (resin or encapsulant) and wire	USPAT; US-PPGPUB
4	BRS	L1 0	13	L7 and leadframe and (resin or encapsulant) and wire	USPAT; US-PPGPUB
5	BRS	L1	76	((sensor or photo) and (leadframe) and (resin or encapsulant) and mold) and wire	USPAT; US-PPGPUB
6	BRS	L1 6	1	"5425360".P N.	USPAT
7	BRS	L1 7	1	"5263244".P N.	USPAT
8	BRS	L1 8	1	"5237994".P N.	USPAT
9	BRS	L1 9	1	"5170786".P N.	USPAT
10	BRS	L2 0	1	"4876587".P N.	USPAT
11	BRS	L2 1	1	"5297897".P N.	USPAT
12	BRS	L2 2	1	"4872825".P N.	USPAT
13	BRS	L2 3	1	"4812114".P N.	USPAT